

Offer Valid through March 31st



SALE PRICE

43" SUZOHAPP PCAP LCD Touchscreen with LED Lights

Part Number: 49-3367-00

This monitor can be mounted horizontally or vertically. LEDs are arranged around the monitor for a seamless look integrating it with the front glass. The LED lights can be set to different modes and colors to achieve desired combinations. No external controller needed!

- LED display
- Front facing LED lights
- Serial & USB touchscreen connections VGA and HDMI video inputs
- Total dimensions: 39 7/8in tall x 23 5/8in wide
- LCD inner display dimensions: 37in tall x 20 3/4in wide
- Displays bright & vibrant colors
- Includes VGA, Serial & USB cables for video & touchscreen hook-ups
- Monitors have a high-definition native resolution of 1920 x 1080 @60hz
- Monitors are capable of 4k resolution
- 3-year warranty



Double Bitted 5/8 Lock H95 Black 1-1/2 Cam STR 1/4 2Key

Part Number: 30-2224S-H95BLK-CAMA04

- 5/8" Cam lock 90°,
 2 key pull with 1-1/2"
 (40mm) straight cam #A04,
 (48mm overall length)
- Stamped key number on keys & plug face
- Each set in PE bag
- Packing: 400 pcs per carton



Interlock PB C&K DS2D6CQ1, 10A Push-Pull .187 X .020 Term.

Part Number: 53-7030-CK

- 10A push-pull
- .187 x 0.20 terminal



43" Curved SUZOHAPP LCD Monitor with Touchscreen

Part Number: 49-3365-00

This monitor can be mounted horizontally or vertically. It has a curve design to add extra wow to your game cabinet. LEDs are arranged around the monitor for a seamless look integrating it with the front glass. The LED lights can be set to different modes and colors to achieve desired combinations. No external controller needed!

- LED display
- Front facing LED lights
- Serial & USB touchscreen connections
- VGA and HDMI video inputs
- Total dimensions: 40in tall x 24in wide
- LCD inner display dimensions: 36 3/4in tall x 20 3/4in wide
- Displays bright & vibrant colors
- Includes VGA, Serial & USB cables for video & touchscreen hook-ups
- Monitors have a high-definition native resolution of 1920 x 1080 @60hz
- Monitors are capable of 4k resolution
- 3-year warranty





SPRING CLEANC



SALE PRICE

200W PowerPro **Power Supply with Dual Switch & Remote Capable**

Part Number: 80-0002-10

- New Innovative Dual On/Off and Remote switch capable design
- +5v 20A, +12v 8A, -5v .5A, -12 .5A.
- UL and CSA Recognized
- Additional 8 Circuit Molex plug with +5vdc and +12vdc outputs for additional accessories
- Dual AC input 115vac/230vac, selectable by switch
- AC plug for hook-up of Bill Validator, 110vac 1.0A
- Metal case AT size
- Physical Size: 3-1/2" H x 5-7/8" W x 5-1/2" D.
- Supplied with 6' long SJT power cord
- 1 year warranty
- Connectors: (1) 4 pin, (1) 3 pin, (2) 9 pin



T 1-3/4 Wedge Base LED

Part Number: 161-412059

- High color consistency
- Rated 100,000 hours



SALE PRICE

RoHS compliant



Power Supply UL 5V20A, 12V8A, -5V.5A Cord. with Resistor/Filter

Part Number: 80-0002-10RF

• 5V 20A • With Filter



7-Digit Meter 5V W/ Diode & W/O Mounting Bracket

Part Number: 42-08005-07

- Display digits size .153" (3.9mm)
- Rugged ABS clear case with magnifying lens • Count Speed: 25 CPS (counts per second) 50/50 ratio on/off
- 13.78" (350mm)
- 5vdc
- Mounted using a front screw mount
- 4-40 nut on back of meter for alternative bracket mounting
- Includes internal diode & magnification lens
- Does not include a mounting bracket



Upper Blank Door for Midwidth no Cutouts except Lock Painted

Part Number: 42-3607-90

- Door size is 9.90"H x 8.68"W
- Type II O/U Mid-Width Door (Height = 9.90")
- Fits wells frame





VisionPro 19" **LCD LED Monitor** Part Number: 49-2604-30N



- VisionPro 19" LCD LED CGA/VGA Gen III monitor
- This panel is a LG panel (it is not anti-glare)
- CGA/VGA
- Dimensions: 16.015" W x 13.094" H x 2.33" D
- Dimensions w/brackets 17.25" W
- This LCD has Auto Sync.
- 12V-4A Max, power supply is built into the monitor
- Aspect Ratio 4:3



SPRING CLEANC



110W PowerPro Power Supply

Part Number: 80-0064-00

- +5v 15A, +12v 2A, -5v 1A, 110 watts
- Will accept wide #8 terminal
- Dual AC input 115vac/230vac, selectable by jumper
- Overload protection • Black case
- 1 year warranty





TFT LCD Button White Chrome W/O Cable Part Number: RBM-828S-D90

KN95/FFP2 Protective Mask

Part Number: 92-2733-00

- The filter efficiency of this KN95 mask is over 95%, tested by NPPTL (National Personal Protective Technology Laboratory)
- KN95 masks are made of 2 non-woven outer layers, 2 melt-blown inner filter, and 1 non-woven Cotton Middle Layer SALE PRICE
- which absorbs moisture Minimum order guantity: 40



- Overall Dimensions:
- 19.558 in. (H) x 29.097 in (W) x 3.135 in (D)
- Active Display Area:
- 15.433 in (H) x 27.468 in (W)
- Max. Resolution: 1920 X 1080
- Contrast Ratio: 3000:1
- Brightness: 350 cd/m2
- Response Time: typical, 6.5ms
- Viewing Angle: Horiz./Vert. 178/178 degrees
- Video Interface: VGA & DVI-D
- Horizontal Frequency Range: 31 70 KHz
- Vertical Frequency Range: 60Hz
- Electrical Safety: UL CSA
- RF Emission Limits: FCC Class A • Electrostatic Discharge Immunity:
- EN6100-4-2 Class A
- RoHs: RoHs Directive 2011/65/EU
- Analog & Digital Scan Frequency:
 - 31 70KHz
- Auto Size Adjust: 31 70KHz
- Power consumption: 90 watts



Wells-Gardner 32" LCD Monitor Part Number: 49-3259-WG





460W PowerPro Power Supply for Ainsworth A560 Machines

Part Number: 80-1276-460

• Replacement power supply for the Ainsworth 560 Dual Screen, Ainsworth Super 560, and the Ainsworth 560 ST slot machines

SALE PRICE

- AC Input: 100-240VAC, 10-6A
- Output: 100-240VAC; 60/50Hz; 4A
- DC Output: (Max 460W) +12V 20.0A; +24V 9.0A; +5VSB 2.0A
- Ref. Model: APSM-460
- Ref. Part No. 220 279



- 57mm Receipt / Ticket Printer
- Extremely compact and versatile receipt printer that allows an easy installation and panel mounting
- · 200dpi best printing quality
- Paper width 57mm
- Speed > of 80mm/ sec

TG02H Alpha Numeric Serial/USB Printer. **Paper Arm, No Cables**

Part Number: TG02H-NH*



- Up to 70mm paper roll diameter
- RS232 and USB interface (serial TTL

- Sensors: head temperature, paper presence, near paper end, anti-jamming
- Power supply 12V and 24V

*This printer does not come with the cables; For power cable see item 70-0042-00, PM: 2660000000024; For serial cable see item 70-1988-00, PN: 2650000000311; Does not include the paper roll (PN: 27-0207-00)



with welding)





SPRING CLEANGUT!

Set of 4 Pool Table Leg Leveler 6-1/2" Base

Part Number: 49-0997-01

- Heavy-duty die cast assembly
 Rubber molding around base to prevent floor marring
- 6" diameter base
- 2" long shank
- M12 x 1.75 thread size
- Includes threaded base plate
- 4 per set
- A quantity of 1 is enough to do 1 complete table



SALE PRICE

VisionPro 22" LCD W/ IR Touch & USB/Serial Touch Part Number: 49-22IR-03

- For Use In: PA Skill Games.
 Can also be used in: Miele Spartan Cabinets
- (with bezel removed)
- Active Display Area 18 3/4in (H) x 10 1/2in.
- Outline Dimension 23 in (H) x 18 11/32 (W) x 2 in (D)
- 1920 x 1080 pixels resolution
- CGA-VGA resolution
- Low power consumption
- RGB and DVI
- LED Backlight System
- Touch Screen Infrared
- USB/Serial
- Aspect Ratio 16:9 or 16:10 (auto scaling)
- Removable Brackets





Master Blue Cue Chalk (144 Pack)

Part Number: 26-1023-144B

- Coats cue tips smoothly and evenly
- Box of 144
 SAI



Belgian Aramith "Crown Standard" Pool Ball Set with 2-1/4" Cue Ball

Part Number: 26-1028-00B



- World's finest quality billiard balls for true play
- Genuine Belgian cast phenolic resin, making them last up to 5 times longer than other balls made from polymers or polyester
 no wonder they are the logical choice for commercial and private pool table owners
- Set includes a non-magnetic cue ball
- All balls are tested by Aramith using Aramith's billiard play stimulator - Crown Standard billiard balls were still perfectly playable even after 40,000 hits, whereas other billiard balls were rendered unusable
- Balls are burn spot-resistant to keep their polish & minimize tablecloth wear. They lengthen the life of your pool table cloth as well!
- Balls made of pure phenolic resin, making them scratchresistant and long-lasting
- Elasticity of the phenolic resin is calibrated for optimal rebound - perfectly controlling the effect of every shot



19.42" 3M Microtouch Cleartek2 Flat T/S USB & Serial Contrlr

Part Number: 49-0505-00

- New 3M Dual Controller (works on both USB and Serial)
- 98-0003-3819-8 SCT3250 19" sensor with mated dual mode EX113 controller
- This new model is a direct replacement for the Serial model (SHG PN 49-2850-00 3M PN 17-8891-223) and USB model (SHG PN 49-2851-00 3M PN 17-8891-226)



20.38" 3M Microtouch Touch Screen Sensor

Part Number: 49-1084-00

- Used on IGT
- Transparent coating significantly increases durability by resisting scratches and abrasions
- Performance unaffected by everyday contaminants in the environment
- Accurate and fast touch response
- Narrow border for easy integration
- Connects to the new EX II electronics platform
- Controller board not included







SPRING CLEANCUT!



Plug-in Power Supply for Audio Amplifier

Part Number: 80-1153-00

- Plug in power supply for kiosk
- Includes 2MM coaxial connector, center positive

SALE PRICE

ALE PRICE

[|]99

- Can also be used to power beacon light if wired in (the beacon light has no connector)
- Cord length: 75"
- +12vdc, 2 amp



VisionPro 21.5" LED LCD W/ Clear Glass HDMI, DVI, & VGA

SALE PRICE

Part Number: 49-3305-02

Minimum order quantity: 2

LCD Panel 19" AU:M190EG01 V2 SXGA

Part Number: 088A0200-001



8-Line Harness with Buttons for POG

Part Number: 95-0634-02

- Update your old and worn out harness
- Made from high quality material
- Harness will work on all POG wooden cabinets
- The AC Plug is set up for a CRT Monitor
- Other replacement components available



8-Line Harness Part Number:

95-2835-00

• Includes 36 pin connector





Super "Jamma" Cable

SALE PRICE

Part Number: 80-5000-00*

- Jamma edge connection with wires for power, speakers, coin switches, start switch and controls
- Universal design for 2 player games
 5' length fits any cabinet,
- Same as Jamma Cable but complete
- Same as Jamma Cable but complete with 2' long Molex connected control panel harness with .187" connectors
- Labeled for ease of identification

*If speaker wire is required, use PN: 80-5100-00



Harness for Pog with Wooden Cabinet (Set of 3)

Part Number: 95-2396-00

- Update your old and worn out harness
- Made from high quality material
- Harness will work on all POG wooden cabinets
- Other replacement components available

ffer Valid through March 31[;]



SPRING CLEANOUT!



22" Wells LED TN W/ VGA, DVI WGF2258SD-J27H

Part Number: 49-3221-02

- Aspect Ratio 16x10
- Viewing Angel (H/V) 170/160
- Video Interface: VGA/DVI-D
- Analog Scanning Freq: 30-80kHz
- Power Consumption 30W
- RoHs Compliant



Part Number: 95-1807-00

- Used with IGT and most gaming manufacturer machines
- Used on kiosk small VLT pushbuttons
- This Cherry switch is the one that is being used by most OEM gaming manufactures for VLT switches (IGT door switch in IL Video Gaming market)
- The switch has the terminals equally spaced so the ITW Pancon (White Connector) slides over it and connects the lamp and switch with one connector

VisionPro^{**}

Rigid high-quality PCB-mounted LEDs,

addressable LEDs in another model)

• Full-HD 1920x1080, WVA 178° x 178°

for landscape or portrait usage

no adhesive strips, no hotspots

• RGB LED interface (solid color;

• True-flat zero-bezel design.

• Diagonal Size: 27"

• Aspect Ratio: 16:9

- DB5 style
- 1 amp, 125/250V AC
- .110" terminals
- ROHS compliant



VisionPro 27" Edge Lit Front 12V RGB W/DP & HDMI

Part Number: 150LG27003



- Active Area: 597.6 x 336.15mm
- Dimensions: 660.0 x 407.0 x 51.0mm (26in x 16in x 2in)
- Video Interface: VGA + DVI standard, HDMI and DisplayPort available
- Touch/Non-Touch Type: Printed 3mm Tempered Glass
- Warranty: 1-year
- Regulatory Approvals: CE, FCC

MINIX

Minix Z83-4 Home 4G+64G, HDMI DP, LAN, WIFI, VESA K

Part Number: 80-0569-00



SG Reel Assy, 3 Reel

Part Number:

SALE PRICE

S 74 50

1481260-CRP

23511



PCB Driver Board

Part Number: F1S086-02-ZZZZ

- Bally's Driver board for Gen1 White LED starpoint reels
- PCA108781-0-0
- can use on Bally 202711

