

# Revision History

12. November 2008

Page 1

No	Item No.	File Name	Release Date	Device	Country	Comm. Protocol
1	<u>BB-EE1159</u>	FL-EE6AAJ1-2.59-BB.hex	12/11/08	BB	Estonia	CCNET
		<b>Commentary</b>				
		1. Identification of 2 EEK has been brought in to prevent occasional acceptance of 2 EEK with 10 EEK credit.				
		2. Point of reporting "Waiting for bills to be removed" (0x1D 0x01) state during dispensing has been changed from the moment when BB starts moving the last bill to be dispensed from recycling cassette to dispenser to the moment when the last bill to be dispensed enters the dispenser.				
2	<u>BB-EE1157</u>	FL-EE6AAJ1-1.57-BB.hex	08/08/08	BB	Estonia	CCNET
		First release.				
		Distinctive features are:				
		1. Barcode recognition.				
		2. Jam (credit loss) prevention.				
		3. Chassis soft download via CCNET.				
		4. 'SET OPTIONS' and 'GET OPTIONS' commands have been added to CCNET.				
		5. Processing of the following options has been implemented:				
		'LED BV INHIBIT' -> 0 - LED is red in BV_INHIBIT state; 1 - LED is turned off				
		'KEEP BILL' -> 0 - bill will be dropped after returning; 1 - bill will be held				
		'LOOK TAPE' -> enhanced processing of pass sensor (0 - OFF, 1 - ON)				
		'TURN SWITCH' -> switch turning after bill packing (0 - OFF, 1 - ON)				
		6. Loss of cassette setting "Not Assigned" after RESET has been eliminated.				
		7. Control of thermo heater in metal dispenser has been added.				
		8. Enhance the algorithm of BB self-testing: if cassette(s) is(are) removed, software has to skip the algorithm of "device recovery after POWER DOWN" and turn to the regular self-testing.				
		9. Set higher priority to the indication of "BOX REMOVED" state.				
		10. Make "RECYCLING CASSETTE STATUS" request accessible only in IDLING, DISABLED, ESCROW states (according to "CashCode NET" description).				
		11. Do not erase an IDENTIFICATION NUMBER of BB unit in statistics after download to the validating head the software designed for another country.				
		12. BB power recovery has been introduced.				
		13. Nonvolatile counters for counting all dispensed or unloaded bills have been added.				
		14. Commands "POWER RECOVERY", "EMPTY DISPENSER", "EXTENDED CASSETTE STATUS" have been included to CCNET.				
		15. Errors related to setting date/time from B2B keypad in Service mode have been fixed.				
		16. The following error has been fixed: if remove a cassette from the chassis BB keeps trying to pack bills to that cassette.				
		17. "GET STATUS" command is enable only in IDLING and DISABLED states according to CCNET specification.				
		18. Error with displaying of "Not Assigned" state for recycling cassettes in Service mode has been fixed.				
		19. Prohibit switching to download mode in the following error states: ERROR_LINK_SENS_HV, ERROR_MAGN_SENS_HV and ERROR_OPT_SENS_HV.				
		20. Prohibit performing software RESET in the following error states: ERROR_LINK_SENS_HV, ERROR_MAGN_SENS_HV and ERROR_OPT_SENS_HV.				
		21. Add "READ BB-DEVICES SERIAL NUMBER" command to CCNET.				
		22. Fix for unload in case when some bills were manually removed from the cassette has been implemented.				
		23. BB turns to IDLING through chassis reinitialization after the following sequence: drop box removal, chassis removal, then chassis replacement and drop box replacement.				

No	Item No.	File Name	Release			Comm. Protocol	Page
			Date	Device	Country		
			<b>Commentary</b>				
			24. BB statistics (failure counters) is not supported yet.				
			25. The improved algorithm of drop box initialization has been implemented in order to make sure that BB is always able to determine if drop box is completely attached.				
			26. Country code has been replaced with currency code in all internal tables.				
			27. Barcode is prohibited to be stacked to the recycling cassette.				
			28. BB suspends dispensing and reports BOX REMOVED if drop box was removed over dispensing; BB will resume dispensing after drop box replacement.				
			29. Diagnostic command has been introduced (see MAN_CCNET d7 Rev.2.5.1).				