FREIGHT MINIMUM ORDER \$500.00

COIN DOORS AND COIN MECHS



Double Entry Pinball Door W/ Cutout

Part Number: 40-0707-00

- Replacement part for all Stern/Data East/Sega and Williams pinballs
- "Universal" Patented one-piece mech. holder design. Will fit all known 3" x 5" mechanical and electronic acceptors on the market
- Heavy 16 gauge steel door
- Sturdy die cast aluminum frame
- $\bullet \ \mathsf{Available} \ \mathsf{2} \ \mathsf{or} \ \mathsf{3} \ \mathsf{entry}$
- Available with U.S., token or foreign mechs
- Fitted with \$.25 U.S. Coin Mech





Electronic Roll Down Coin Acceptor with Reject Lever

Part Number: 40-1500-05

- Accepts coins or tokens based on the diameter and thickness
- Suitable for 5\$ or 25\$ US coins and Canadian coins 20mm-30mm diameter, 1.7mm - 2.5mm thickness
- Controlled by CPU program
- Precise/normal switch ensures quick, smooth coin insertion
- Special design for anti-EMI (electromagnetic interference)
- Back cover opens for convenient cleaning and maintenance
- Will work on Slam-A-Winner

Sale price



SUZOHAPP .900" Token Coin Mech

Part Number: 42-3052-100

- Mech utilizes metal base plate, metal cradles, plastic gate and coin return chute
- Each part made with great precision to produce a mech that is highly able to separate good coins from counterfeit coins
- Materials used for each part carefully chosen for optimum performance and durability
- High strength rare earth Neodymium magnet used to enhance mechs ability to reject false coins while accepting good coins
- Each mech fully tested and inspected
- Additional coin versions are available upon request

Sale price

\$ 9.99





COIN DOORS AND COIN MECHS



.984" Token Metal Coin Mech

Part Number: 42-3053-100

- Mech utilizes metal base plate, metal cradles, plastic gate and coin return chute
- Each part made with great precision to produce a mech that is highly able to separate good coins from counterfeit coins
- Materials used for each part carefully chosen for optimum performance and durability
- High strength rare earth Neodymium magnet used to enhance mechs ability to reject false coins while accepting good coins
- Each mech fully tested and inspected
- Additional coin versions are available upon request

Sale price



PUSHBUTTONS W/.187 HORIZONTAL MICROSWITCH



Color: Red

Part Number: 58-9100-L



Color: White

Part Number: 58-9111-L



Color: Blue

Part Number: 58-9122-L



Color: Green

Part Number: 58-9133-L



Color: Purple

Part Number: **58-9144-L**



Color: Yellow

Part Number: 58-9155-L



Color: Black

Part Number: 58-9166-L



Color: Orange

Part Number: 58-9177-L

- Fits wood or metal control panels
- New longer design: Easier to use within 3/4" wood control panels w/ Lexan
- Microswitch reliability tested to 10,000,000 cycles
- .187" Terminal Microswitch
- GOLD contact microswitch available
- Durable NYLON material
- Pushbutton mounts in 1-1/8" hole
- Concave Plunger Design
- Protective Cover also available

Sale Price

\$ 1.30 EA

Contact Your Sales Representative to Order Now!

NEWSummers AVINGS!



JOYSTICKS

8-WAY COMPETITION JOYSTICKS



Color: Black Part Number: 50-6070-160



Color: Red Part Number: 50-6070-100



Blue
Part Number:
50-6070-120

Color:



Color: Green Part Number: 50-6070-130



Color: Purple Part Number: 50-6070-140



Yellow
Part Number:
50-6070-150

Color:

- Fits wood and metal control panels
- Spring return-to-center
- 8-way operation
- Microswitch reliability tested to 10,000,000 cycles
- .187" terminal Silver Contact Microswitch Standard
- 8-way only
- Gold Contact Microswitch optional

Saleprice

8-WAY ULTIMATE JOYSTICKS



Color: Black Part Number: 50-7608-160



Red
Part Number:
50-7608-100

Color:



Yellow
Part Number:
50-7608-150

Color:




Color: Blue Part Number: 50-7608-120



Green
Part Number:
50-7608-130

Color:



- Rugged, yet simple, construction
- Very smooth, spring return-to-center
- Microswitch reliability tested to 10,000,000 cycles
- Adjustable shaft length for metal or wood mounting
- .187" terminal Silver Contact Microswitch Standard
- Gold contact microswitch optional

Sale Price

\$ **6**.95 E



MONITORS AND ACCESSORIES



43" SUZOHAPP PCAP LCD Touchscreen with LED Lights

Part Number: 49-3367-00

- This monitor can be mounted horizontally or vertically. LEDs are arranged around the monitor for a seamless look integrating it with the front glass. The LED lights can be set to different modes and colors to achieve desired combinations. No external controller needed!
- Front facing LED lights
- Serial & USB touchscreen connections VGA and HDMI video inputs
- Total dimensions: 39 7/8in tall x 23 5/8in wide
- LCD inner display dimensions: 37in tall x 20 3/4in wide
- Displays bright & vibrant colors
- Includes VGA, Serial & USB cables for video & touchscreen hook-ups
- Monitors have a high-definition native resolution of 1920 x 1080 @60hz
- Monitors are capable of 4k resolution
- 3-year warranty

Saleprice





VisionPro 19" LCD LED Monitor EGA, CGA, VGA Gen III LED

Part Number: 49-2604-40

Sale price





VisionPro 21.5" **LED LCD** W/Clear Glass **HDMI, DVI, & VGA**

Part Number: 49-3305-02

Sale price

• Minimum order quantity: 2



VisionPro 22" LCD W/ IR Touch & **USB/Serial Touch**

Part Number: 49-22IR-03

- For Use In: PA Skill Games
- Can also be used in: Miele Spartan Cabinets (with bezel removed)
- Active Display Area 18 3/4in (H) x 10 1/2in.
- Outline Dimension 23 in (H) x 18 11/32 (W) x 2 in (D)
- 1920 x 1080 pixels resolution
- CGA-VGA resolution
- Low power consumption
- RGB and DVI
- LED Backlight System
- Touch Screen Infrared
- USB/Serial
- Aspect Ratio 16:9 or 16:10 (auto scaling)
- Removable Brackets

Saleprice

NEWSummersavings!



MONITORS AND ACCESSORIES



Wells-Gardner 32" LCD Monitor

Part Number: 49-3259-WG

- Overall Dimensions:
 19.558 in (H) x 29.097 in (W) x 3.135 in (D)
- Active Display Area: 15.433 in (H) x 27.468 in (W)
- Max. Resolution: 1920 X 1080
- Contrast Ratio: 3000:1
- Brightness: 350 cd/m2
- Response Time: typical, 6.5ms
- Viewing Angle: Horiz./Vert. 178/178 degrees
- Video Interface: VGA & DVI-D
- Horizontal Frequency Range: 31 70 KHz
- Vertical Frequency Range: 60Hz
- Electrical Safety: UL CSA
- RF Emission Limits: FCC Class A
- Electrostatic Discharge Immunity: EN6100-4-2 Class A
- RoHs: RoHs Directive 2011/65/EU
- Analog & Digital Scan Frequency: 31 70KHz
- Auto Size Adjust: 31 70KHz
- Power consumption: 90 watts

Saleprice

\$ **458**.05



20.38" 3M Microtouch Touch Screen Sensor

Part Number: 49-1084-00

- Used on IGT
- Transparent coating significantly increases durability by resisting scratches and abrasions
- Performance unaffected by everyday contaminants in the environment
- Accurate and fast touch response
- Narrow border for easy integration
- Connects to the new EX II electronics platform
- Controller board not included

Sale price

\$ **142**.82



19.42" 3M Microtouch Cleartek2 Flat T/S USB & Serial Contrlr

Part Number: 49-0505-00

- New 3M Dual Controller (works on both USB and Serial)
- 98-0003-3819-8 SCT3250 19" sensor with mated dual mode EX113 controller
- This new model is a direct replacement for the Serial model (SHG PN 49-2850-00 3M PN 17-8891-223) and USB model (SHG PN 49-2851-00 3M PN 17-8891-226)

Sale price

\$ 120.33



LCD Panel 19" AU:M190EG01 V2 SXGA

Part Number: 088A0200-001

Saleprice

\$ 200.00

NEWSummers AVINGS!



MONITORS AND ACCESSORIES



22" Wells LED TN W/ VGA, DVI WGF2258SD-J27H

Part Number: 49-3221-02

- Aspect Ratio 16x10
- Viewing Angel (H/V) 170/160
- Video Interface: VGA/DVI-D
- Analog Scanning Freq: 30-80kHz
- Power Consumption 30W
- RoHs Compliant

\$ 235_{.11}

Saleprice

VisionPro 27" Edge LIT Front 12V RGB W/DP & HDMI

Part Number: 150LG27003

- Rigid high-quality PCB-mounted LEDs, no adhesive strips, no hotspots
- RGB LED interface (solid color; addressable LEDs in another model)
- True-flat zero-bezel design.
- Full-HD 1920x1080, WVA 178° x 178° for landscape or portrait usage
- Diagonal Size: 27"
- Aspect Ratio: 16:9
- Active Area: 597.6 x 336.15mm
- Dimensions: 660.0 x 407.0 x 51.0mm (26in x 16in x 2in)
- Video Interface: VGA + DVI standard, HDMI and DisplayPort available
- Touch/Non-Touch Type: Printed 3mm Tempered Glass
- Warranty: 1-year
- Regulatory Approvals: CE, FCC







Leg Leveler without Nut, 3/8-16 Thread, 1-1/2" Thread Length, 200LB Capacity, 1.75" Base Diameter

Part Number: 49-1002-03

- 1.5" shank length
- Other sizes and types available upon request

Sale Price

\$ **O**.38



Ball Set with 2-3/8" Cue Ball

Part Number: 26-1017-10

- Extreme workmanship is used within these high-quality Polyester Resin Billiard Ball Sets
- Close attention is paid to the color process to ensure consistent color
- The number is inlaid on both sides of the ball and the color is specially treated to prevent wear after the heaviest of table play
- Number in stripe is on #9 #15 balls
- Balls have a professional high glossy finish

• Weight, Hardness and Roundness of balls all meet international billiards standards

Sale Price

\$ **24**.99

Contact Your Sales Representative to Order Now!





POWER SUPPLIES

200W PowerPro Power Supply with Dual Switch & Remote Capable

Part Number: 80-0002-10

- New Innovative Dual On/Off and Remote switch capable design
- +5v 20A, +12v 8A, -5v .5A, -12 .5A.
- UL and CSA Recognized
- Additional 8 Circuit Molex plug with +5vdc and +12vdc outputs for additional accessories
- Dual AC input 115vac/230vac, selectable by switch
- AC plug for hook-up of Bill Validator, 110vac 1.0A
- Metal case AT size
- Physical Size: 3-1/2" H x 5-7/8" W x 5-1/2" D.
- Supplied with 6' long SJT power cord
- 1 year warranty
- Connectors: (1) 4 pin, (1) 3 pin, (2) 9 pin



Sale price



PWR Supp UL 5V20A,12V8A, -5V.5A Cord. with Resistor/Filter

Part Number: 80-0002-10RF

- 5V 20A
- With Filter

Saleprice



Plug-In Power Supply for Audio Amplifier

Part Number: 80-1153-00

- Plug in power supply for kiosk
- Includes 2MM coaxial connector, center positive
- Can also be used to power beacon light if wired in (the beacon light has no connector) Sale price
- Cord length: 75"
- +12vdc, 2 amp