

# Safety Data Sheet

## EZ Clean 05 (Snap Swab 75%)

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

- 1.1 Product Identifier**  
**Trade Name** EZ Clean 05 (Snap Swab 75%)  
**Product Number** SUP-M-1314-A
- 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**  
**Product Use:** Technical Cleaning
- 1.3 Details of the Supplier of the Safety Data Sheet**  
**Manufacturer:** KICteam  
PO Box 1120  
Auburn, ME 04211-1120  
**Information Phone Number:** +1 (207) 514-7299  
**E-mail** [info@kicteam.com](mailto:info@kicteam.com)
- 1.4 Emergency Telephone Number**  
**Emergency Spill Information** +1 (207) 514-7299

**SDS Date of Preparation:** May 20, 2013

**SDS Revision Number:** 2

### SECTION 2: HAZARDS IDENTIFICATION

This product is a clear, liquid with an alcohol odor in a plastic tube with a foam applicator. Each swab contains a small amount (1-1.2 mL) of a flammable liquid. When used as indicated, the isopropanol is inaccessible until the swab is snapped immediately prior to use. This product is a packaged for the consumer market under 16 CFR 1500.83 (Exemptions for small packages, minor and special circumstances) and is exempt from labeling.

#### 2.1 Classification of the Substance or Mixture

Physical:	Health:	Environmental
Flammable Liquid Category 2	Eye Irritant Category 2 Specific Target Organ Toxicity Single Exposure Category 3	None

**EU Classification (67/548/EEC):** F, Xi R11, R36, R67

#### 2.2 Label Elements



DANGER!

#### Hazard Phrases

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

#### Precautionary Phrases

P210	Keep away from heat, sparks, open flames, and hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground or bond container and receiving equipment.

# Safety Data Sheet

## EZ Clean 05 (Snap Swab 75%)

P241	Use explosion-proof equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing mist, vapours, or spray.
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves, eye and face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse with water or shower.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER or doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice or attention.
P370 + P378	In case of fire: Use water spray or fog, foam, carbon dioxide or dry chemical to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
P233	Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents and container in accordance with local, regional, and national regulations.

**2.3 Other Hazards:** None

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**3.1 Substances:**

Chemical Name	CAS#	EINECS#	EU Classification (67/548/EEC)	GHS Classification Regulation (EC) No 1272/2008	%
Isopropanol	67-63-0	200-661-7	F, Xi R11, R36, R67	Flam Liq Cat 2 (H225), Eye Irrit Cat 2 (H319), STOT SE Cat 3 (H336)	<45

See Section 16 for further information on EU and GHS Classification.

### SECTION 4: FIRST AID MEASURES

**4.1 Description of First Aid Measures**

**Eye Contact:** Immediately flush eyes with water for 15 minutes, holding the eye lids open to be sure the material is washed out. Get medical attention if irritation persists.

**Skin:** Wash skin with water. Remove contaminated clothing and launder before reuse. Get medical attention if irritation develops or persists.

**Inhalation:** Remove victim to fresh air. Get medical attention if irritation or other symptoms persists.

**Ingestion:** If conscious, rinse mouth with water. Never give anything by mouth to an unconscious person. Get medical attention.

**4.2 Most important symptoms and effects, both acute and delayed:** Causes eye irritation. May cause slight skin irritation. Inhalation causes drowsiness and dizziness and other central nervous system effects.

**4.3 Indication of any immediate medical attention and special treatment needed:** None required.

# Safety Data Sheet

## EZ Clean 05 (Snap Swab 75%)

### SECTION 5: FIRE FIGHTING MEASURES

- 5.1 Extinguishing Media:**  
Use water spray or fog, foam, carbon dioxide or dry chemical.
- 5.2 Special Hazards Arising from the Substance or Mixture**  
**Unusual Fire and Explosion Hazards:** Flammable liquid and vapor. Vapors are heavier than air and may flow along surfaces to remote ignition sources and flash back. This product contains only a small amount of liquid per container, therefore the risk of creating a fire hazard is minimal.  
**Hazardous Decomposition Products:** Combustion may produce oxides of carbon.
- 5.3 Advice for Fire-Fighters:**  
Firefighters should always wear self-contained breathing apparatus and full protective clothing for fires involving chemicals or in confined spaces.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal Precautions, Protective Equipment and Emergency Procedures:**  
Wear appropriate protective clothing. Eliminate ignition sources. Use only non-sparking tools. Minimize generation of static electricity which may cause sparking. Eliminate sources of ignition or heat.
- 6.2 Environmental Precautions:**  
Report spill as required by local and federal regulations.
- 6.3 Methods and Material for Containment and Cleaning Up:**  
Wipe up liquid with a paper towel or absorb liquid with an inert absorbent and place into a container for disposal.
- 6.4 Reference to Other Sections:**  
Refer to Section 8 for protective equipment and Section 15 for disposal considerations.

### SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for Safe Handling:**  
Avoid contact with eyes. Avoid breathing vapors. Use with adequate ventilation. Do not smoke when handling.
- 7.2 Conditions for Safe Storage, Including any Incompatibilities**  
Store in a cool, dry location away from heat, sparks and open flames. Protect container from physical damage. Keep containers closed when not in use.
- 7.3 Specific end use(s):**  
Technical Cleaning

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control Parameters:**

Chemical Name	Exposure Limits	Biological Limit Value
Isopropanol	400 ppm OSHA PEL 200 ppm TWA ACGIH TLV, 400 ppm STEL 200 ppm TWA DFG MAK 400 ppm TWA UK WEL, 500 ppm STEL UK WEL 400 ppm TWA AU OEL, 500 ppm STEL AU	None Established

# Safety Data Sheet

## EZ Clean 05 (Snap Swab 75%)

	OEL	
--	-----	--

Refer to local regulations if exposure limits are not listed above.

### 8.2 Exposure Controls:

**Engineering Controls:** General ventilation is adequate under normal conditions of use. Use local exhaust ventilation if concentrations are excessive or irritation or CNS effects are experienced.

**Respiratory Protection:** If the exposure levels are excessive, use an approved organic vapor respirator. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with local regulations and good Industrial Hygiene practice.

**Skin Protection:** Use butyl rubber gloves if needed to prevent skin contact.

**Eye Protection:** Use eye glasses with side shields or goggles to prevent eye contact if splashing is possible.

**Other:** None required under normal conditions of use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic Physical and Chemical Properties:

<b>Appearance:</b> Clear, liquid with an alcohol odor in a plastic tube with a foam applicator	<b>Vapor Density:</b> 2.1
<b>Odor:</b> Mild alcohol odor.	<b>Specific Gravity:</b> 0.78
<b>Odor Threshold:</b> No data available	<b>Water Solubility:</b> Infinite
<b>pH:</b> Not available	<b>Octanol/Water Partition Coefficient:</b> Not available
<b>Melting Point/Freezing Point:</b> -121°F (-85°C)	<b>Autoignition Temperature:</b> >662°F (>350°C)
<b>Boiling Point:</b> 180°F (82°C) @ 760 mmHg	<b>Decomposition Temperature:</b> Not available
<b>Flash Point:</b> 54°F (12°C)	<b>Viscosity:</b> Not available
<b>Evaporation Rate:</b> 1.2 (Butyl acetate = 1)	<b>Explosion Properties:</b> Not explosive
<b>Flammable Limits:</b> LEL – 2% UEL – 12.7%	<b>Oxidizing Properties:</b> Not oxidizing
<b>Vapor Pressure:</b> 32.25 mmHg @ 20°C	<b>VOC Content :</b> 6.551 lb/gal
<b>Percent Volatile:</b> 100%	<b>Release of Invisible Vapours and Gases :</b> Yes

### 9.2 Other Information:

None

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

Not reactive under normal conditions of use.

### 10.2 Chemical Stability:

Stable under normal storage and handling conditions.

### 10.3 Possibility of Hazardous Reactions:

Reaction with oxidizers will generate heat.

### 10.4 Conditions to Avoid:

Keep away from heat, sparks, and open flames.

### 10.5 Incompatible Materials:

Avoid strong oxidizing agents, aldehydes, amines, caustics, chlorinated compounds, and alkylamines.

### 10.6 Hazardous Decomposition Products:

Thermal decomposition may produce oxides of carbon.

# Safety Data Sheet

## EZ Clean 05 (Snap Swab 75%)

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on Toxicological Effects:

**Eye:** Direct contact with liquid will causes eye irritation with redness, tearing and stinging. Permanent damage is unlikely.

**Skin:** Prolonged contact may cause irritation with drying and dermatitis.

**Inhalation:** Inhalation of vapors may cause upper respiratory tract irritation, headache, dizziness, drowsiness, confusion, and other central nervous system effects.

**Ingestion:** Swallowing may cause gastrointestinal irritation, nausea, vomiting, and diarrhea.

#### Acute Toxicity Values:

Isopropanol: Oral rat LD50 5,045 mg/kg; inhalation rat LC50 16,000 ppm/8 hr; Skin rabbit LD50 12,800 mg/kg

**Irritation:** Isopropanol is an eye irritant.

**Corrosivity:** This is not a corrosive product.

**Sensitization:** This product is not expected to cause sensitization.

**Repeat Dose Toxicity:** F344 rat and CD-1 mice were exposed to 0, 100, 500, 1500, or 5000 ppm isopropanol for 13 weeks. Signs of narcosis were observed in the 5000- ppm isopropanol groups only. Increased body weight and/or body weights gain were observed for rats of the 1500- and 5000-ppm groups as well as female mice of the 5000-ppm group compared to control animals. Changes to food and water consumption generally corresponded to changes in body weight. Increased relative liver weights for both sexes of rats and female mice of the 5000-ppm group and increased size and frequency of hyaline droplets within the kidneys of exposed male rats were observed.

**Carcinogen Status:** None of the components are listed as a carcinogen by IARC, NTP, ACGIH, OSHA or EU Substances Directive.

**Germ Cell Mutagenicity:** In an in-vivo study, isopropanol did not induce micronuclei in bone marrow of mice. Studies conducted in mammalian cells in vitro, it did not induce sister chromatid exchanges or gene mutations. Isopropanol did not induce aneuploidy in Neurospora crassa study. It is not mutagenic to bacteria.

**Toxicity for Reproduction:** Isopropyl alcohol was given continuously in drinking water in doses of 1.5, 1.4, & 1.3 g/kg body wt/day to parents and to two successive generations of rats, respectively. Neither growth, reproductive function nor embryonic or postnatal development was affected, except for some retardation of growth early in life of first generation rats.

### SECTION 12: ECOLOGICAL INFORMATION

#### 12.1 Toxicity:

Isopropanol: 96 hr LC50 fathead minnows 6,120 mg/L; 48 hr LC50 brown shrimp 1400 mg/L

#### 12.2 Persistence and Degradability:

Readily biodegradable

#### 12.3 Bioaccumulative Potential::

Not expected to bioaccumulate.

#### 12.4 Mobility in Soil:

No data available.

#### 12.5 Results of PBT and vPvB Assessment:

Not required.

#### 12.6 Other Adverse Effects:

None known.

# Safety Data Sheet

EZ Clean 05 (Snap Swab 75%)

## SECTION 13: DISPOSAL INFORMATION

### 13.1 Waste Treatment Methods

Dispose in accordance with local and national environmental regulations.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport Hazard Class(s)	14.4 Packing Group	14.5 Environmental Hazards
US DOT	UN1219	Isopropanol	3	II	None
EU ADR/RID	UN1219	Isopropanol	3	II	None
IMDG	UN1219	Isopropanol	3	II	None
ICAO	UN1219	Isopropanol	3	II	None
IATA	UN1219	Isopropanol	3	II	None

### 14.6 Special Precautions for User:

None

### 14.7 Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture:

#### US Regulatory Information:

**EPA SARA 311 Hazard Classification:** Acute Health, Fire Hazard

**EPA SARA 313:** This product contains the following chemicals regulated under SARA Title III, section 313: None

**CERCLA Hazardous Substances (Section 103)/RQ:** This product is not subject to CERCLA reporting requirements as it is sold. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

**Toxic Substances Control Act:** All of the components of this product are listed on the TSCA inventory.

**California Proposition 65:** This product contact contains the following materials known to the state of California to cause cancer and/or reproductive harm: None.

#### **Canadian Regulatory Information:**

**WHMIS Classification:** Class B Division 2 (Flammable Liquid), Class D Division 2B (Toxic material causing other harmful effects)

This MSDS has been prepared according to the criteria of the Controlled Products Regulation (CPR) and the MSDS contains all of the information required by the CPR.

**Canadian Environmental Protection Act:** All of the ingredients are listed on the Canadian Domestic Substances List.

#### Australian Regulations:

**Montreal Protocol (Ozone Depleting Substances):** None present

**The Stockholm Convention (Persistent Organic Pollutants):** None present

**The Rotterdam Convention (Prior Informed Consent):** Not applicable

**Basel Convention:** Not applicable

# Safety Data Sheet

## EZ Clean 05 (Snap Swab 75%)

**International Convention for the Prevention of Pollution from Ships (MARPOL):** Not applicable  
**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):** No ingredients are listed.

### **International Inventories:**

**US EPA TSCA Inventory:** All of the components are listed on the TSCA inventory.

**Canadian Environmental Protection Act:** All of the ingredients are listed on the Canadian Domestic Substances List.

**European Union:** One or more of the components of this product are not listed on the European Inventory of New and Existing Chemical Substances (EINECS) inventory.

**Australia:** All of the ingredients of this product are listed on the Australian Inventory of Chemical Substances (AICS).

**China:** All of the ingredients of this product are listed on the Inventory of Existing Chemical Substances in China (IECSC).

**Korea:** All of the components of this product are listed on the Korean Existing Chemical List (KECL).

**Japan:** All of the components of this product are listed on the Japanese Existing and New Chemical Substances List (ENCS).

**New Zealand:** All of the components of this product are listed on the New Zealand Inventory of Chemicals (NZIoC).

**Philippines:** All of the components of this product are listed on the Philippine Inventory of Chemicals and Chemical Substances (PICCS).

### **15.2 Chemical Safety Assessment:**

Not required

## SECTION 16: OTHER INFORMATION

### **SDS Revision History:**

1/30/13: New SDS

5/20/13: Revised SDS

### **GHS Phrases for Reference (See Section 2 and 3):**

Flam Liq Cat 2 Flammable Liquid Category 2

Eye Irrit Cat 2 Eye Irritation Category 2

STOT SE Cat 3 Specific Target Organ Toxicity Single Exposure Category 3

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness.

### **EU Classes and Risk Phrases for Reference (See Sections 2 and 3):**

F Highly Flammable

Xi Irritant

R11 Highly flammable.

R36 Causes eye irritation.

R67 Vapours may cause drowsiness or dizziness.

This sheet was compiled from the latest available information and reliable sources. Procedures are based on accepted usage. They are not necessarily all-inclusive and may vary in every circumstance. KICTeam provides no warranties either expressed or implied and assumes no responsibility for the accuracy or completeness of the data herein.