

Stanley
Fastening Systems

Briggs Drive
East Greenwich, RI 02818

Tel 401 884 2500

STANLEY

MATERIAL SAFETY DATA SHEET

PRODUCT CODE: JB6467- ^{HMIS 010} DESCRIPTION: STANLEY 06467 ORIGINAL
All Purpose

* N.A. = NOT APPLICABLE N.E. = NOT ESTABLISHED

SECTION I - NOMENCLATURE

CHEMICAL NAME AND SYNONYMS
Adhesive

TRADE NAME AND SYNONYMS
Stanley 06467

CHEMICAL FAMILY
Ethylene-vinyl acetate

FORMULA
Physical mixture of components

SECTION II - HAZARDOUS INGREDIENTS & SECTION 313 SUPPLIER NOTIFICATION

If a hazardous ingredient is identified as being a toxic chemical via hazard code "A", that chemical is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40CFR372

HAZARD CODES (HAZD):
C-Carcinogen (OSHA, NTP, IARC)
H-Hazardous (OSHA)
P-California Prop 65 (carcinogen)
A-Superfund Amendments and Reauthorization Act (SARA)

HAZARDOUS MATERIAL	% by Wt.	TLV MEAS.	PEL MEAS.	CAS NBR	HAZD
Not Applicable					

SECTION III - PHYSICAL DATA

BOILING PT (DEG. F)	N.A.	SPECIFIC GRAVITY	.99
VAPOR PRESSURE (MM HG)	N.A.	PCT VOLATILE BY VOL	N.A.
PCT VOLATILE BY WEIGHT	N.A.	EVAPORATION RATE	N.A.
SOLUBILITY IN WATER	Nil.	VAPOR DENSITY (AIR=1)	N.A.
		MELT POINT	202 F

APPEARANCE AND ODOR-
Clear and odorless

MAY 29 '98 16:23 FR STANLEY BOSTITCH

800 842 9360 TO 917083442686

P.02-03

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

JE6467 CONTINUED...

FLASH-POINT (DEG. F)	Above 450F	METHOD USED	N.A.
LOWER EXPLO. LEVEL	UNKNOWN	UPPER EXPLO. LEVEL	UNKNOWN

EXTINGUISHING MEDIA-
Water, CO2, foam, dry chemical

SPECIAL FIRE FIGHTING PROCEDURES-
None

UNUSUAL FIRE AND EXPLOSION HAZARDS-
None

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE-
Not Applicable

EFFECTS OF OVEREXPOSURE-
Unknown

EMERGENCY AND FIRST AID PROCEDURES-
Skin: Wash with soap and water
Eyes: Flush with water

WARNING!
Molten hot melt adhesive can cause severe burns upon contact with skin.

SECTION VI - REACTIVITY DATA

STABILITY STABLE

CONDITIONS TO AVOID-
None known

INCOMPATIBILITY (MATERIALS TO AVOID)-
Not Applicable

HAZARDOUS DECOMPOSITION PRODUCTS-
Carbon monoxide (from partial combustion as for most organic materials)

HAZARDOUS POLYMERIZATION-
Will not occur

CONDITIONS TO AVOID-
None known

SECTION VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-
Sweep up to avoid any slipping hazard

WASTE DISPOSAL METHOD-
Dispose of according to all local, state and federal laws.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFY TYPE)-
None when using adequate ventilation

VENTILATION-
Recommended when heating

PROTECTIVE GLOVES-
Heat protective gloves

EYE PROTECTION-
Goggles

OTHER PROTECTIVE EQUIPMENT-
Not required

SECTION IX - SPECIAL PRECAUTIONS

PAGE 2

MAY 29 1998 16:24 FR STANLEY BOSTITCH

800 842 9360 TO 917083442686

9.07/03

SECTION IX - SPECIAL PRECAUTIONS

JE6467 CONTINUED...

PRECAUTIONS TO BE TAKEN IN STORAGE AND HANDLING-
None known

OTHER PRECAUTIONS-

WARNING!

Molten hot melt adhesive can cause severe burns upon contact with skin.

 *TSCA: All the components contained in this product comply with
 * applicable requirements pertaining to the US EPA TSCA inventory
 * under 40CFR Part 710 and 720.

 *The information and recommendations contained herein are based upon data
 * believed to be correct. However, since much of the information has been
 * received from sources outside our company, we cannot guarantee its
 * accuracy or completeness. Health and safety precautions contained
 * within this data sheet may not be adequate for all individuals and/or
 * situations. It is the user's obligation to evaluate and use this data
 * in order to comply with all applicable laws and regulations.
 * Additionally, no guarantee or warranty of any kind, expressed or implied
 * is made with respect to the information contained herein.

MSDS DATE 4/21/98 PAGE 3 OF 3