




REV.	BY	DATE	PART NO.
			SP22E-2569




SHAFT FLAT INDEXED TO ANTI-ROTATION PIN (AS SHOWN)
 WHEN WIPER CONTACT IS AT 50% OUTPUT, TOLERANCE IS +/- 5%.
 MAX. 5.156 VOLTS MIN. 4.843 VOLTS

160° (50% OUTPUT)
 ELEMENT DIAGRAM

NOTES:

ALL OTHER SPECIFICATIONS ARE THE SAME
 AS THE STANDARD MODEL SP22E

CONDUCTIVE PLASTIC RESISTANCE ELEMENT	SCALE	NONE	THIS DOCUMENT CONTAINS PROPRIETARY DATA OF POLARIS INDUSTRIAL ENTERPRISES, INC. NO DISCLOSURE, REPRODUCTION, OR USE OF ANY PART THERE OF MAY BE MADE EXCEPT BY WRITTEN PERMISSION.	 CARLSBAD CALIFORNIA
	DATE:	4-11-91		
<u>TOLERANCES</u> XX = +/- .010" FRACT. = +/- 1/64" XXX = +/- .005" ANGLES = +/- 1/2" ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.	BY		<u>TITLE</u> SINGLE TURN POTENTIOMETER	<u>PART NO.</u> SP22E-2569
	APPR'D	BT		
	CODE IDENT:	19477		